

2002(平成 14 年)

Original Articles

1) Anti-inflammatory effects of long-lasting locally-delivered human recombinant tissue factor pathway inhibitor after balloon angioplasty

Nakamura Y, Nakamura K, Ohta K, Matsubara H, Yutani C*, Hamura T*, Kato H*, Ohe T.
Basic Res Cardiol 2002;97:198-205.

2) Differential effects of beta-blockade on dispersion of repolarization in the absence and presence of sympathetic stimulation between the LQT1 and LQT2 forms of congenital long QT syndrome

Shimizu W*, Tanabe Y*, Aiba T*, Inagaki M*, Kurita T*, Suyama K*, Nagaya N*, Taguchi A*, Aihara N*, Sunagawa K*, Nakamura K, Ohe T, Towbin JA*, Priori SG*, Kamakura S*.
J Am Coll Cardiol 2002;39(12):1984-91.

3) Carvedilol decreases elevated oxidative stress in human failing myocardium

Nakamura K, Kusano K, Nakamura Y, Kakishita M, Ohta K, Nagase S, Yamamoto M, Miyaji K, Saito H, Morita H, Emori T, Matsubara H, Toyokuni S*, Ohe T.
Circulation 2002;108:2867-2871.

4) Epicardial electrogram of the right ventricular outflow tract in patients with the Brugada syndrome -using the epicardial lead

Nagase S, Kusano-Fukushima K, Morita H, Fujimoto Y, Kakishita M, Nakamura K, Emori T, Matsubara H, Ohe T.
J Am Coll Cardiol 39(12); 1992-1995, 2002.

5) An N-terminal sequence specific for a novel Homer1 isoform controls trafficking of group I metabotropic glutamate receptor in mammalian cells

Saito H, Kimura M*, Inanobe A*, Ohe T, Kurachi Y*.
Biochem Biophys Res Commun 2002;296:523-529.

6) Atrial fibrillation and atrial vulnerability in patients with Brugada syndrome.

Morita H, Kusano-Fukushima K, Nagase S, Fujimoto Y, Hisamatsu K, Fujio H, Haraoka K, Kobayashi M, Morita ST, Nakamura K, Emori T, Matsubara H, Hina K*, Kita T*, Fukatani M*, Ohe T.
J Am Coll Cardiol 2002;40(8):1437-44.

7) Plasma atrial natriuretic peptide concentration inversely correlates with left atrial collagen volume fraction in patients with atrial fibrillation.

Yoshihara F*, Nishikimi T*, Sasaki Y*, Hino J*, Kobayashi J*, Minatoya K*, Bando K*, Kosakai Y*, Horio T*, Suga S*, Kawano Y*, Matsuoka H*, Yutani C*, Matsuo H*, Kitamura S*, Ohe T, Kangawa K*.

J Am Coll Cardiol 2002;39:288-294.

8) Gene-specific response of dynamic ventricular repolarization to sympathetic stimulation in LQT1, LQT2 and LQT3 forms of congenital long QT syndrome.

Noda T*, Takaki H*, Kurita T*, Suyama K*, Nagaya N*, Taguchi A*, Aihara N*, Kamakura S*, Sunagawa K*, Nakamura K, Ohe T, Horie M*, Napolitano C*, Towbin JA*, Priori SG*, Shimizu W*.

Eur Heart J 2002;23:975-983.

9) Temperature-dependent postextrasystolic potentiation and Ca²⁺ recirculation fraction in canine hearts

Mizuno J*, Araki J*, Suzuki S*, Mohri S, Mikane T*, Shimizu J*, Matsubara H, Hirakawa M*, Ohe T, Suga H*.

Am J Physiol Heart Circ Physiol 2002;282:H403-413.

Case Reports

1) Cardiac Tumors that Cause Arrhythmias

Fukushima-Kusano K, Ohe T.

Cardiac Electrophysiology Review 2002;6(1-2):174-177.

2) Recovery of cardiac function after living-donor lung transplantation in a patient with primary pulmonary hypertension

Fukushima-Kusano K, Date H*, Fujio H, Miyaji K, Matsubara H, Nagahiro I*, Satoh T*, Shimizu N*, Ohe T.

Circ J 2002;66(3):294-296.

3) Living-donor single-lobe lung transplantation for primary pulmonary hypertension in a child

Date H*, Sano Y*, Aoe M*, Matsubara H, Kusano K, Goto K*, Tedoriya T*, Shimizu N*.

J Thorac Cardiovasc Surg 2002 Jun;123(6):1211-3.

4) Giant fibroma with ventricular tachycardia in an elderly patient

Fukushima KK, Haraoka K, Ohta K and Ohe T.

J Cardiovasc Electrophysiol 2002;13:730.

5) Imaging of a rupture line of an aortic aneurysm by spiral CT scan

Nakamura Y, Sano S* and Ohe T.

Heart 2002;87:496.

6) Spontaneous T wave alternans and premature ventricular contractions during febrile illness in a patient with Brugada syndrome

Morita H, Nagase S, Kusano K and Ohe T.

J Cardiovasc Electrophysiol 2002;13:816-818.